


DACLON NYLON

DACLON
NYLON



Type	Monofilament
Composition	Extrusion of polyamide 6.0 or 6.6
Coating	None
Colour	Blue Black
Tissue reaction	Minimal
Absorption	Non absorbable, gradually encapsulated by connective tissue. The thread mass diminishes, approximately 10% a year by rupture of chemical links (hydrolytic action).
Presentation	Box with 12 sutures

*For quality
&
safety*

smi

www.sutures.be

DACLON

NYLON

CHARACTERISTICS

- ☑ High tensile strength, non absorbable
- ☑ Synthetic
- ☑ Monofilament with microscopic uniform diameter
- ☑ Pliability and softness
- ☑ Hermetically sealed packing

BENEFITS

- Excellent and permanent tissue support
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down
- Good handling properties
- Easy and secure knotting
- Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation

Daclon Blue
 especially in Skin closure
 General surgery
 Plastic surgery
 Gastrointestinal surgery
 Gynaecology
 Obstetrics
 Orthopaedics

Daclon Black
 especially in Plastic surgery
 Ophthalmic surgery



Round bodied taper point

			Metric	USP	Length		Order number
HR 16 mm		1	5/0	75 cm	<i>black</i>	9100116	
		1.5	4/0	75 cm	<i>blue</i>	9150116	
HR 20 mm		0.7	6/0	75 cm	<i>black</i>	9070120	
		1	5/0	75 cm	<i>black</i>	9100120	
		1.5	4/0	75 cm	<i>blue</i>	9150120	
		2	3/0	75 cm	<i>blue</i>	9200120	
		3	2/0	75 cm	<i>blue</i>	9300120	
HR 26 mm		1.5	4/0	75 cm	<i>blue</i>	9150126	
		2	3/0	75 cm	<i>blue</i>	9200126	
		3	2/0	75 cm	<i>blue</i>	9300126	
		3.5	0	75 cm	<i>blue</i>	9350126	
		4	1	75 cm	<i>blue</i>	9400126	
HR 30 mm		3	2/0	75 cm	<i>blue</i>	9300130	
		3.5	0	75 cm	<i>blue</i>	9350130	
HR 37 mm		4	1	75 cm	<i>blue</i>	9400130	
		3	2/0	75 cm	<i>blue</i>	9300137	
HR 40 mm		3.5	0	75 cm	<i>blue</i>	9350137	
		4	1	75 cm	<i>blue</i>	9400137	
HR 50 mm		4	1	75 cm	<i>blue</i>	9300140	
		3.5	0	75 cm	<i>blue</i>	9350140	
		4	1	75 cm	<i>blue</i>	9400140	
		5	2	75 cm	<i>blue</i>	9500140	
		4	1	100 cm	<i>blue</i>	9400150	


1/2 circle





Round bodied taper point loop

1/2 circle



		Metric	USP	Length	Color	Order number
HR 30 mm		3.5	0	150 cm	blue	9350930
		4	1	150 cm	blue	9400930
HR 35 mm		3.5	0	150 cm	blue	9350935
		4	1	150 cm	blue	9400935
HR 40 mm		3.5	0	150 cm	blue	9350940
		4	1	150 cm	blue	9400940
HR 50 mm		3.5	0	150 cm	blue	9350950
		4	1	150 cm	blue	9400950



Reverse cutting











		Metric	USP	Length		Order number
DS 12 mm		0.5	7/0	75 cm	<i>black</i>	9051512
		0.7	6/0	75 cm	<i>black</i>	9071512
		1	5/0	75 cm	<i>black</i>	9101512
		1.5	4/0	75 cm	<i>blue</i>	9151512
DS 12 mm Easy Pass		0.7	6/0	50 cm	<i>black</i>	9071512P
		1	5/0	50 cm	<i>black</i>	9101512P
		1.5	4/0	50 cm	<i>blue</i>	9151512P
DS 16 mm		0.7	6/0	45 cm	<i>black</i>	9071516-45
		0.7	6/0	75 cm	<i>black</i>	9071516
		1	5/0	45 cm	<i>black</i>	9101516-45
		1	5/0	75 cm	<i>black</i>	9101516
		1.5	4/0	45 cm	<i>blue</i>	9151516-45
		1.5	4/0	75 cm	<i>blue</i>	9151516
DS 16 mm Easy Pass		0.7	6/0	50 cm	<i>black</i>	9071516P
		1	5/0	50 cm	<i>black</i>	9101516P
		1.5	4/0	50 cm	<i>blue</i>	9151516P
DS 16 mm black		1	5/0	75 cm	<i>black</i>	9101516VB
DS 19 mm		1	5/0	45 cm	<i>black</i>	9101519-45
		1	5/0	75 cm	<i>black</i>	9101519
		1.5	4/0	45 cm	<i>blue</i>	9151519-45
		1.5	4/0	75 cm	<i>blue</i>	9151519
		1.5	4/0	90 cm	<i>blue</i>	9151519-90
		2	3/0	45 cm	<i>blue</i>	9201519-45
		2	3/0	75 cm	<i>blue</i>	9201519
		2	3/0	90 cm	<i>blue</i>	9201519-90
		3	2/0	75 cm	<i>blue</i>	9301519
DS 19 mm Easy Pass		1.5	4/0	50 cm	<i>blue</i>	9151519P
		2	3/0	50 cm	<i>blue</i>	9201519P
		3	2/0	50 cm	<i>blue</i>	9301519P
DS 19 mm black		1	5/0	75 cm	<i>black</i>	9101519VB
		1.5	4/0	75 cm	<i>blue</i>	9151519VB

3/8 circle
















Reverse cutting






		Metric	USP	Length		Order number
DS 24 mm		1	5/0	75 cm	<i>black</i>	9101524
		1.5	4/0	45 cm	<i>blue</i>	9151524-45
		1.5	4/0	75 cm	<i>blue</i>	9151524
		2	3/0	45 cm	<i>blue</i>	9201524-45
		2	3/0	75 cm	<i>blue</i>	9201524
		3	2/0	45 cm	<i>blue</i>	9301524-45
		3	2/0	75 cm	<i>blue</i>	9301524
		3.5	0	75 cm	<i>blue</i>	9351524
		4	1	75 cm	<i>blue</i>	9401524
		5	2	90 cm	<i>blue</i>	9501524
DS 24 mm Easy Pass		3	2/0	50 cm	<i>blue</i>	9301524P
DS 26 mm		2	3/0	45 cm	<i>blue</i>	9201526-45
		2	3/0	75 cm	<i>blue</i>	9201526
		3	2/0	45 cm	<i>blue</i>	9301526-45
		3	2/0	75 cm	<i>blue</i>	9301526
DS 30 mm		1.5	4/0	75 cm	<i>blue</i>	9151530
		2	3/0	75 cm	<i>blue</i>	9201530
		3	2/0	75 cm	<i>blue</i>	9301530
		3.5	0	75 cm	<i>blue</i>	9351530
		4	1	75 cm	<i>blue</i>	9401530
DS 36 mm		2	3/0	75 cm	<i>blue</i>	9201536
		3	2/0	75 cm	<i>blue</i>	9301536
		3.5	0	75 cm	<i>blue</i>	9351536
		4	1	90 cm	<i>blue</i>	9401536-90
DS 40 mm		3	2/0	75 cm	<i>blue</i>	9301540
		3.5	0	75 cm	<i>blue</i>	9351540
		4	1	75 cm	<i>blue</i>	9401540
DS 45 mm		5	2	90 cm	<i>blue</i>	9501540
		3	2/0	100 cm	<i>blue</i>	9301545
DS 45 mm		4	1	75 cm	<i>blue</i>	9401545
		3	2/0	75 cm	<i>blue</i>	9301560
DS 60 mm		3	2/0	75 cm	<i>blue</i>	9301560
DS 90 mm		3	2/0	100 cm	<i>blue</i>	9301590
		3.5	0	100 cm	<i>blue</i>	9351590
		4	1	100 cm	<i>blue</i>	9401590










3/8 circle









 Reverse cutting		Metric	USP	Length	Order number
1/2 circle 	HS 17 mm 	1.5	4/0	75 cm	<i>blue</i> 9151417
		2	3/0	75 cm	<i>blue</i> 9201417
	HS 22 mm 	2	3/0	75 cm	<i>blue</i> 9201422
		HS 26 mm 	2	3/0	75 cm
	3		2/0	75 cm	<i>blue</i> 9301426
	HS 30 mm 	3	2/0	90 cm	<i>blue</i> 9301430
		3.5	0	75 cm	<i>blue</i> 9351430
	HS 36 mm 	3.5	0	75 cm	<i>blue</i> 9351436
		4	1	75 cm	<i>blue</i> 9401436
		5	2	75 cm	<i>blue</i> 9501436
HS 40 mm 	3.5	0	75 cm	<i>blue</i> 9351440	
	4	1	75 cm	<i>blue</i> 9401440	
HS 48 mm 	4	1	100 cm	<i>blue</i> 9401448	







 Cutting		Metric	USP	Length	Order number
Straight	GS 60 mm 	2	3/0	75 cm	<i>blue</i> 9202160
		3	2/0	75 cm	<i>blue</i> 9302160




 Cutting		Metric	USP	Length	Order number
3/8 circle 	NS 26 mm 	2	3/0	75 cm	<i>blue</i> 9201726
	NS 30 mm 	3	2/0	75 cm	<i>blue</i> 9301730
	NS 40 mm 	3	2/0	75 cm	<i>blue</i> 9301740








 Micro needle taper point		Metric	USP	Length	Order number		
3/8 circle 	MDR 3.3 mm 50µm		0.1	11/0	10 cm	<i>black</i>	MN111
	MDR 3.8 mm 50µm		0.1	11/0	10 cm	<i>black</i>	MN116
			0.2	10/0	10 cm	<i>black</i>	MN102
	MDR 3.8 mm 70µm		0.1	11/0	10 cm	<i>black</i>	MN113
			0.2	10/0	10 cm	<i>black</i>	MN103
	MDR 3.8 mm 100µm		0.1	11/0	10 cm	<i>black</i>	MN112
			0.2	10/0	15 cm	<i>black</i>	MN105
			0.3	9/0	15 cm	<i>black</i>	MN094
	MDR 5.1 mm 100µm		0.2	10/0	15 cm	<i>black</i>	MN106
			0.3	9/0	15 cm	<i>black</i>	MN096
MDR 6.4 mm 140µm		0.2	10/0	15 cm	<i>black</i>	MN1011	
		0.3	9/0	15 cm	<i>black</i>	MN098	
MDR 9.7 mm 200µm		0.4	8/0	15 cm	<i>black</i>	MN087	
		0.5	7/0	45 cm	<i>black</i>	MN078	




 Round bodied taper point double armed		Metric	USP	Length	Order number		
1/4 circle 	2 x VR 8 mm 220 µm		0.4	8/0	45 cm	<i>black</i>	ON81

 Side cutting spatula		Metric	USP	Length	Order number		
1/2 circle 	HSP 5.5 mm 150 µm		0.2	10/0	30 cm	<i>black</i>	ON1081

 Side cutting spatula double armed		Metric	USP	Length	Order number		
1/2 circle 	2 x HSP 5.5 mm 150 µm		0.2	10/0	30 cm	<i>black</i>	ON108
	2 x HSP 6.2 mm 150 µm		0.2	10/0	30 cm	<i>black</i>	ON102
	2 x HSP 6.4 mm 220 µm		0.2	10/0	30 cm	<i>black</i>	ON106
	2 x HSP 8 mm 300 µm		0.7	6/0	45 cm	<i>black</i>	ON62

 Side cutting spatula		Metric	USP	Length		Order number	
3/8 circle 	DSP 6.2 mm 150 µm		0.2	10/0	15 cm	<i>black</i>	ON1011

 Side cutting spatula double armed		Metric	USP	Length		Order number	
3/8 circle 	2 x DSP 6 mm 220 µm		0.2	10/0	30 cm	<i>black</i>	ON103
			0.1	11/0	20 cm	<i>black</i>	ON111
			0.2	10/0	30 cm	<i>black</i>	ON101
	2 x DSP 6.2 mm 150 µm		0.3	9/0	30 cm	<i>black</i>	ON95
			0.3	9/0	45 cm	<i>black</i>	ON95-45
			0.4	8/0	30 cm	<i>black</i>	ON85
			0.4	8/0	45 cm	<i>black</i>	ON85-45
	2 x DSP 6.2 mm 200 µm		0.5	7/0	30 cm	<i>black</i>	ON75
	2 x DSP 6.4 mm 220 µm		0.2	10/0	30 cm	<i>black</i>	ON105
			0.2	10/0	38 cm	<i>black</i>	ON105-38
		0.2	10/0	45 cm	<i>black</i>	ON105-45	
2 x DSP 8 mm 300 µm		0.7	6/0	45 cm	<i>black</i>	ON61	

 Side cutting spatula double armed		Metric	USP	Length		Order number	
1/4 circle 	2 x VSP 8 mm 350 µm		1	5/0	45 cm	<i>black</i>	ON51