


POLYPROPYLENE

BLUE



| | |
|------------------------|---------------------------------------|
| Type | Monofilament |
| Composition | Polypropylene, a polymer of propylene |
| Coating | None |
| Colour | Blue |
| Tissue reaction | Minimal |
| Absorption | Non absorbable |
| Presentation | Box with 12 sutures |

*For quality
&
safety*



smi

www.sutures.be

POLYPROPYLENE

BLUE







CHARACTERISTICS




- ✓ High tensile strength, non absorbable
- ✓ Resistance to repeated bending
- ✓ Synthetic
- ✓ Monofilament with microscopic uniform diameter
- ✓ Pliability and softness
- ✓ Hermetically sealed packing





INDICATIONS General soft tissue closing
and/or ligation
especially in Cardiovascular surgery
Neurosurgery
Ophthalmic surgery
Microsurgery
Plastic surgery
Skin closure
Orthopaedics
Hernias (also as a mesh)
Gastrointestinal surgery
General surgery
Gynaecology
Obstetrics






BENEFITS

- Excellent and permanent tissue support
- Use in cardiovascular surgery (heart prosthesis or vascular anastomosis)
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down
- Good handling properties
- Easy and secure knotting
- Guaranteed seal and product sterility

|  Round bodied taper point | | | Metric | USP | Length | | Order number | |
|------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------|--------|-----|--------|-------------|--------------|---------|
|  | HR 10 mm |  | 0.5 | 7/0 | 45 cm | <i>blue</i> | 5050110 | |
| | | | 0.7 | 6/0 | 75 cm | <i>blue</i> | 5070110 | |
| | HR 15 mm |  | 0.7 | 6/0 | 75 cm | <i>blue</i> | 5070115 | |
| | | | 1 | 5/0 | 75 cm | <i>blue</i> | 5100115 | |
| | HR 17 mm |  | 1.5 | 4/0 | 75 cm | <i>blue</i> | 5150115 | |
| | | | 1 | 5/0 | 75 cm | <i>blue</i> | 5100117 | |
| | HR 20 mm |  | 2 | 3/0 | 75 cm | <i>blue</i> | 5200117 | |
| | | | 1 | 5/0 | 75 cm | <i>blue</i> | 5100120 | |
| | | | | 1.5 | 4/0 | 75 cm | <i>blue</i> | 5150120 |
| | | | | 2 | 3/0 | 75 cm | <i>blue</i> | 5200120 |
| | | | | 3 | 2/0 | 75 cm | <i>blue</i> | 5300120 |

|  Round bodied taper point | | | Metric | USP | Length | | Order number |
|------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------|--------|-----|--------|-------------|--------------|
|  | DR 16 mm |  | 1.5 | 4/0 | 75 cm | <i>blue</i> | 5150216 |


|  Reverse cutting | | | Metric | USP | Length | | Order number |
|-----------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------|--------|-----|--------|-------------|--------------|
|  | HS 22 mm |  | 2 | 3/0 | 45 cm | <i>blue</i> | 5201422 |
| | HS 24 mm |  | 3 | 2/0 | 75 cm | <i>blue</i> | 5301424 |

|  Reverse cutting | | | Metric | USP | Length | | Order number |
|-----------------------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------|--------|-----|--------|-------------|--------------|
|  | DS 10 mm |  | 0.7 | 6/0 | 45 cm | <i>blue</i> | 5071510 |
| | | | 0.5 | 7/0 | 45 cm | <i>blue</i> | 5051512 |
| | DS 12 mm |  | 0.7 | 6/0 | 45 cm | <i>blue</i> | 5071512 |
| | | | 1 | 5/0 | 45 cm | <i>blue</i> | 5101512 |
| | | | 1.5 | 4/0 | 75 cm | <i>blue</i> | 5151512 |
| | DS 12 mm Easy Pass |  | 0.7 | 6/0 | 50 cm | <i>blue</i> | 5071512P |
| | | | 1 | 5/0 | 50 cm | <i>blue</i> | 5101512P |



Reverse cutting

3/8 circle



| | | Metric | USP | Length | | Order number |
|--------------------|--|--------|-----|--------|------|--------------|
| DS 16 mm | | 0.7 | 6/0 | 45 cm | blue | 5071516 |
| | | 1 | 5/0 | 45 cm | blue | 5101516 |
| | | 1.5 | 4/0 | 45 cm | blue | 5151516-45 |
| | | 1.5 | 4/0 | 75 cm | blue | 5151516 |
| | | 2 | 3/0 | 75 cm | blue | 5201516 |
| DS 16 mm Easy Pass | | 0.7 | 6/0 | 50 cm | blue | 5071516P |
| | | 1 | 5/0 | 50 cm | blue | 5101516P |
| | | 1.5 | 4/0 | 50 cm | blue | 5151516P |
| DS 16 mm black | | 1 | 5/0 | 45 cm | blue | 5101516VB |
| DS 19 mm | | 0.7 | 6/0 | 75 cm | blue | 5071519 |
| | | 1 | 5/0 | 45 cm | blue | 5101519-45 |
| | | 1 | 5/0 | 75 cm | blue | 5101519 |
| | | 1.5 | 4/0 | 45 cm | blue | 5151519-45 |
| | | 1.5 | 4/0 | 75 cm | blue | 5151519 |
| | | 2 | 3/0 | 45 cm | blue | 5201519-45 |
| | | 2 | 3/0 | 75 cm | blue | 5201519 |
| | | 3 | 2/0 | 75 cm | blue | 5301519 |
| DS 19 mm Easy Pass | | 1 | 5/0 | 50 cm | blue | 5101519P |
| | | 1.5 | 4/0 | 50 cm | blue | 5151519P |
| | | 2 | 3/0 | 50 cm | blue | 5201519P |
| DS 19 mm black | | 1 | 5/0 | 75 cm | blue | 5101519VB |
| | | 1.5 | 4/0 | 75 cm | blue | 5151519VB |
| DS 24 mm | | 1.5 | 4/0 | 75 cm | blue | 5151524 |
| | | 2 | 3/0 | 45 cm | blue | 5201524-45 |
| | | 2 | 3/0 | 75 cm | blue | 5201524 |
| | | 3 | 2/0 | 45 cm | blue | 5301524-45 |
| | | 3 | 2/0 | 75 cm | blue | 5301524 |
| DS 24 mm Easy Pass | | 1.5 | 4/0 | 50 cm | blue | 5151524P |
| | | 2 | 3/0 | 50 cm | blue | 5201524P |
| | | 3 | 2/0 | 50 cm | blue | 5301524P |



Round bodied taper cutting point

1/2 circle



| | | Metric | USP | Length | | Order number |
|-----------|--|--------|-----|--------|------|--------------|
| HRT 10 mm | | 0.7 | 6/0 | 75 cm | blue | 5070510 |
| HRT 25 mm | | 3 | 2/0 | 75 cm | blue | 5300525 |