


SILK



Type	Braided multifilament
Composition	Braided fibres from the cocoon of the silkworm
Coating	Waxes Silicone
Colour	Black
Tissue reaction	Moderate
Absorption	Silk suture elicits an initial inflammatory reaction in tissues, which is followed by gradual encapsulation of the suture by fibrous connective tissues.
Presentation	Box with 12 sutures

*For quality
&
safety*

smi

www.sutures.be

SILK

CHARACTERISTICS

- ✓ High tensile strength, non absorbable
- ✓ Braided or twisted structure

- ✓ Coated multifilament

- ✓ Hermetically sealed packing

BENEFITS

- Good and extended tissue support for up to 3 month

- Excellent handling properties
High flexibility
High tensile strength
Excellent knot security






- Soft passage through the tissues with minimal sawing, tissue drag and trauma
Good knot tie down / adjustability
Reduced capillary action






- Guaranteed seal and product sterility






INDICATIONS General soft tissue closing and/or ligation
especially in General surgery
Skin closure
Ophthalmic surgery
Oral surgery
Gastrointestinal surgery
Gynaecology
Obstetrics



CONTRAINDICATIONS Urinary tract
Biliary tract



Known allergies or sensitivities to silk

 Round bodied taper point		Metric	USP	Length	Order number	
1/2 circle 	HR 12 mm 	0.7	6/0	45 cm	<i>black</i> 8070112	
		1	5/0	45 cm	<i>black</i> 8100112	
		1.5	4/0	75 cm	<i>black</i> 8150112	
	HR 16 mm 	0.7	6/0	45 cm	<i>black</i> 8070116	
		1	5/0	75 cm	<i>black</i> 8100116	
		1.5	4/0	75 cm	<i>black</i> 8150116	
	HR 20 mm 	2	3/0	75 cm	<i>black</i> 8200116	
		1	5/0	75 cm	<i>black</i> 8100120	
		1.5	4/0	75 cm	<i>black</i> 8150120	
			2	3/0	75 cm	<i>black</i> 8200120
			3	2/0	75 cm	<i>black</i> 8300120

 Round bodied taper point		Metric	USP	Length	Order number
3/8 circle 	DR 12 mm 	1	5/0	45 cm	<i>black</i> 8100212
		1	5/0	75 cm	<i>black</i> 8100216
	DR 16 mm 	1.5	4/0	75 cm	<i>black</i> 8150216
		2	3/0	75 cm	<i>black</i> 8200216
		2	3/0	75 cm	<i>black</i> 8200225
	DR 25 mm 	3	2/0	75 cm	<i>black</i> 8300225

 Reverse cutting		Metric	USP	Length	Order number
3/8 circle 	DS 12 mm 	0.5	7/0	45 cm	<i>black</i> 8051512
		0.7	6/0	45 cm	<i>black</i> 8071512
		1	5/0	45 cm	<i>black</i> 8101512
		1.5	4/0	75 cm	<i>black</i> 8151512
		2	3/0	75 cm	<i>black</i> 8201512
		DS 12 mm Easy Pass 	0.7	6/0	50 cm
	DS 16 mm 	0.7	6/0	75 cm	<i>black</i> 8071516
		1	5/0	75 cm	<i>black</i> 8101516
		1.5	4/0	75 cm	<i>black</i> 8151516
		2	3/0	75 cm	<i>black</i> 8201516
		3	2/0	75 cm	<i>black</i> 8301516

 Reverse cutting		Metric	USP	Length	Order number
	DS 16 mm Easy Pass	1	5/0	50 cm	<i>black</i> 8101516P
		1.5	4/0	50 cm	<i>black</i> 8151516P
	DS 16 mm black	1	5/0	75 cm	<i>black</i> 8101516VB
		1.5	4/0	75 cm	<i>black</i> 8151516VB
	DS 19 mm	0.7	6/0	75 cm	<i>black</i> 8071519
		1	5/0	75 cm	<i>black</i> 8101519
		1.5	4/0	75 cm	<i>black</i> 8151519
		2	3/0	45 cm	<i>black</i> 8201519-45
		2	3/0	75 cm	<i>black</i> 8201519
		3	2/0	75 cm	<i>black</i> 8301519
	DS 19 mm Easy Pass	1.5	4/0	50 cm	<i>black</i> 8151519P
		2	3/0	50 cm	<i>black</i> 8201519P
	DS 19 mm black	1	5/0	75 cm	<i>black</i> 8101519VB
		1.5	4/0	75 cm	<i>black</i> 8151519VB
	DS 24 mm	2	3/0	75 cm	<i>black</i> 8201519VB
		1	5/0	75 cm	<i>black</i> 8101524
		1.5	4/0	75 cm	<i>black</i> 8151524
			2	3/0	75 cm
		3	2/0	75 cm	<i>black</i> 8301524

 Reverse cutting		Metric	USP	Length	Order number	
	HS 12 mm	0.7	6/0	75 cm	<i>black</i> 8071412	
		1	5/0	75 cm	<i>black</i> 8101417	
	HS 17 mm	1.5	4/0	75 cm	<i>black</i> 8151417	
		2	3/0	75 cm	<i>black</i> 8201417	
	HS 20 mm	1.5	4/0	75 cm	<i>black</i> 8151420	
		2	3/0	75 cm	<i>black</i> 8201420	
	HS 22 mm	1	5/0	75 cm	<i>black</i> 8101422	
		1.5	4/0	75 cm	<i>black</i> 8151422	
		2	3/0	75 cm	<i>black</i> 8201422	
	HS 26 mm	3	2/0	75 cm	<i>black</i> 8301422	
		1	5/0	75 cm	<i>black</i> 8101426	
		1.5	4/0	75 cm	<i>black</i> 8151426	
			2	3/0	75 cm	<i>black</i> 8201426
			3	2/0	75 cm	<i>black</i> 8301426



Round bodied taper cutting point

			Metric	USP	Length	Color	Order number
1/2 circle 	HRT 18 mm		1	5/0	75 cm	<i>black</i>	8100518
			1.5	4/0	75 cm	<i>black</i>	8150518
			2	3/0	75 cm	<i>black</i>	8200518
	HRT 27 mm		3	2/0	75 cm	<i>black</i>	8300518
			2	3/0	75 cm	<i>black</i>	8200527
			3	2/0	75 cm	<i>black</i>	8300527



Round bodied taper cutting point

			Metric	USP	Length	Color	Order number
3/8 circle 	DRT 18 mm		1.5	4/0	75 cm	<i>black</i>	8150418
			2	3/0	75 cm	<i>black</i>	8200418