


POLYPROPYLENE

BLUE



Type	Monofilament
Composition	Polypropylene, a polymer of propylene
Coating	None
Colour	Blue
Tissue reaction	Minimal
Absorption	Non absorbable
Presentation	Box with 12 sutures

*For quality
&
safety*



smi

www.sutures.be

POLYPROPYLENE

BLUE

CHARACTERISTICS

- ✓ High tensile strength, non absorbable
- ✓ Resistance to repeated bending
- ✓ Synthetic
- ✓ Monofilament with microscopic uniform diameter
- ✓ Pliability and softness
- ✓ Hermetically sealed packing












INDICATIONS General soft tissue closing
and/or ligation
especially in Cardiovascular surgery
Neurosurgery
Ophthalmic surgery
Microsurgery
Plastic surgery
Skin closure
Orthopaedics
Hernias (also as a mesh)
Gastrointestinal surgery
General surgery
Gynaecology
Obstetrics

BENEFITS

- Excellent and permanent tissue support
- Use in cardiovascular surgery (heart prosthesis or vascular anastomosis)
- Minimal tissue reaction
- Soft passage through the tissues without sawing, tissue drag and trauma
- Absence of capillarity (no support of bacterial growth)
- Excellent knot tie down
- Good handling properties
- Easy and secure knotting
- Guaranteed seal and product sterility





Round bodied taper point


			Metric	USP	Length		Order number
1/2 circle 	HR 10 mm		0.5	7/0	45 cm	<i>blue</i>	5050110
			0.7	6/0	75 cm	<i>blue</i>	5070110
	HR 15 mm		0.7	6/0	75 cm	<i>blue</i>	5070115
			1	5/0	75 cm	<i>blue</i>	5100115
	HR 17 mm		1.5	4/0	75 cm	<i>blue</i>	5150115
			1	5/0	75 cm	<i>blue</i>	5100117
	HR 20 mm		2	3/0	75 cm	<i>blue</i>	5200117
			1	5/0	75 cm	<i>blue</i>	5100120
	HR 25 mm		1.5	4/0	75 cm	<i>blue</i>	5150120
			2	3/0	75 cm	<i>blue</i>	5200120
			3	2/0	75 cm	<i>blue</i>	5300120
	HR 30 mm		1	5/0	75 cm	<i>blue</i>	5100125
1.5			4/0	75 cm	<i>blue</i>	5150125	
2			3/0	75 cm	<i>blue</i>	5200125	
3			2/0	75 cm	<i>blue</i>	5300125	
HR 35 mm		3.5	0	75 cm	<i>blue</i>	5350125	
		4	1	75 cm	<i>blue</i>	5400125	
		2	3/0	75 cm	<i>blue</i>	5200130	
HR 40 mm		3	2/0	75 cm	<i>blue</i>	5300130	
		3.5	0	75 cm	<i>blue</i>	5350130	
		4	1	75 cm	<i>blue</i>	5400130	
HR 35 mm		3	2/0	75 cm	<i>blue</i>	5300135	
		3.5	0	75 cm	<i>blue</i>	5350135	
HR 40 mm		4	1	75 cm	<i>blue</i>	5400135	
		4	1	90 cm	<i>blue</i>	5400140	
			5	2	75 cm	<i>blue</i>	5500140




Round bodied taper point

			Metric	USP	Length		Order number
3/8 circle 	DR 16 mm		1.5	4/0	75 cm	<i>blue</i>	5150216


















**Round bodied taper point
double armed**



		Metric	USP	Length		Order number
2 x HR 8 mm		0.4	8/0	60 cm	<i>blue</i>	5040108-2
		0.5	7/0	60 cm	<i>blue</i>	5050108-2
		0.7	6/0	60 cm	<i>blue</i>	5070108-2
2 x HR 9.3 mm		0.5	7/0	60 cm	<i>blue</i>	5050193-2
		0.7	6/0	60 cm	<i>blue</i>	5070193-2
2 x HR 10 mm		0.5	7/0	60 cm	<i>blue</i>	5050110-2
		0.7	6/0	60 cm	<i>blue</i>	5070110-2
		1	5/0	60 cm	<i>blue</i>	5100110-2
2 x HR 13 mm		0.5	7/0	60 cm	<i>blue</i>	5050113-2
		0.7	6/0	60 cm	<i>blue</i>	5070113-2
		1	5/0	75 cm	<i>blue</i>	5100113-2
2 x HR 16 mm		0.7	6/0	90 cm	<i>blue</i>	5070116-2
		1	5/0	90 cm	<i>blue</i>	5100116-2
		1.5	4/0	90 cm	<i>blue</i>	5150116-2
		2	3/0	90 cm	<i>blue</i>	5200116-2
2 x HR 20 mm		1	5/0	90 cm	<i>blue</i>	5100120-2
		1.5	4/0	90 cm	<i>blue</i>	5150120-2
		2	3/0	90 cm	<i>blue</i>	5200120-2
2 x HR 25 mm		1.5	4/0	90 cm	<i>blue</i>	5150125-2
		2	3/0	90 cm	<i>blue</i>	5200125-2
		3	2/0	90 cm	<i>blue</i>	5300125-2
2 x HR 30 mm		2	3/0	90 cm	<i>blue</i>	5200130-2
		3	2/0	90 cm	<i>blue</i>	5300130-2
2 x HR 35 mm		3	2/0	90 cm	<i>blue</i>	5300135-2
2 x HR 40 mm		3.5	0	90 cm	<i>blue</i>	5350140-2
		4	1	90 cm	<i>blue</i>	5400140-2

 Round bodied taper point double armed	Metric	USP	Length	Order number	
1/2 circle 	HR 15 mm	2	3/0	90 cm	<i>blue</i> 5200115-30
	HR 30 mm				

 Round bodied taper point double armed	Metric	USP	Length	Order number		
3/8 circle 	2 x DR 8 mm		0.4	8/0	45 cm	<i>blue</i> 5040208-2
		0.5	7/0	60 cm	<i>blue</i> 5050208-2	
	2 x DR 9.3 mm		0.5	7/0	60 cm	<i>blue</i> 5050293-2
			0.7	6/0	60 cm	<i>blue</i> 5070293-2
	2 x DR 10 mm		0.7	6/0	60 cm	<i>blue</i> 5070210-2
	2 x DR 13 mm		0.5	7/0	60 cm	<i>blue</i> 5050213-2
			1	5/0	60 cm	<i>blue</i> 5100213-2
			0.7	6/0	60 cm	<i>blue</i> 5070213-2
	2 x DR 18 mm		1	5/0	90 cm	<i>blue</i> 5100218-2
			1.5	4/0	90 cm	<i>blue</i> 5150218-2
	2 x DR 22 mm		1.5	4/0	90 cm	<i>blue</i> 5150222-2
			2	3/0	90 cm	<i>blue</i> 5200222-2
	2 x DR 25 mm		2	3/0	90 cm	<i>blue</i> 5200225-2
			1	5/0	90 cm	<i>blue</i> 5100226-2
2 x DR 26 mm		1.5	4/0	90 cm	<i>blue</i> 5150226-2	
		3	2/0	90 cm	<i>blue</i> 5300230-2	
2 x DR 30 mm						



Reverse cutting

Metric

USP



Length



Order number



3/8 circle



			Metric	USP	Length		Order number
DS 10 mm			0.7	6/0	45 cm	blue	5071510
DS 12 mm			0.5	7/0	45 cm	blue	5051512
			0.7	6/0	45 cm	blue	5071512
			1	5/0	45 cm	blue	5101512
			1.5	4/0	75 cm	blue	5151512
DS 12 mm Easy Pass			0.7	6/0	50 cm	blue	5071512P
			1	5/0	50 cm	blue	5101512P
DS 16 mm			0.7	6/0	45 cm	blue	5071516
			1	5/0	45 cm	blue	5101516
			1.5	4/0	45 cm	blue	5151516-45
			1.5	4/0	75 cm	blue	5151516
DS 16 mm Easy Pass			2	3/0	75 cm	blue	5201516
			0.7	6/0	50 cm	blue	5071516P
			1	5/0	50 cm	blue	5101516P
DS 16 mm black			1.5	4/0	50 cm	blue	5151516P
			1	5/0	45 cm	blue	5101516VB
			0.7	6/0	75 cm	blue	5071519
DS 19 mm			1	5/0	45 cm	blue	5101519-45
			1	5/0	75 cm	blue	5101519
			1.5	4/0	45 cm	blue	5151519-45
			1.5	4/0	75 cm	blue	5151519
			2	3/0	45 cm	blue	5201519-45
			2	3/0	75 cm	blue	5201519
			3	2/0	75 cm	blue	5301519
			3.5	0	75 cm	blue	5351519
DS 19 mm Easy Pass			1	5/0	50 cm	blue	5101519P
			1.5	4/0	50 cm	blue	5151519P
			2	3/0	50 cm	blue	5201519P
DS 19 mm black			1	5/0	75 cm	blue	5101519VB
			1.5	4/0	75 cm	blue	5151519VB
DS 24 mm			1.5	4/0	75 cm	blue	5151524
			2	3/0	45 cm	blue	5201524-45
			2	3/0	75 cm	blue	5201524
			3	2/0	45 cm	blue	5301524-45
			3	2/0	75 cm	blue	5301524
			3.5	0	75 cm	blue	5351524
	4	1	75 cm	blue	5401524		






 Reverse cutting		Metric	USP	Length	Order number
	DS 24 mm Easy Pass	1.5	4/0	50 cm	<i>blue</i> 5151524P
		2	3/0	50 cm	<i>blue</i> 5201524P
		3	2/0	50 cm	<i>blue</i> 5301524P
	DS 26 mm	2	3/0	45 cm	<i>blue</i> 5201526-45
		2	3/0	75 cm	<i>blue</i> 5201526
		3	2/0	45 cm	<i>blue</i> 5301526-45
	DS 30 mm	3	2/0	75 cm	<i>blue</i> 5301526
		2	3/0	75 cm	<i>blue</i> 5201530
		3	2/0	75 cm	<i>blue</i> 5301530
	DS 36 mm	3.5	0	75 cm	<i>blue</i> 5351530
		4	1	75 cm	<i>blue</i> 5401530
		2	3/0	75 cm	<i>blue</i> 5201536
	DS 40 mm	3	2/0	75 cm	<i>blue</i> 5301536
		3.5	0	75 cm	<i>blue</i> 5351536
		4	1	75 cm	<i>blue</i> 5401536
DS 45 mm	3	2/0	75 cm	<i>blue</i> 5301540	
	3.5	0	75 cm	<i>blue</i> 5351540	
	4	1	90 cm	<i>blue</i> 5401540	
DS 90 mm	5	2	90 cm	<i>blue</i> 5501540	
	4	1	90 cm	<i>blue</i> 5401545	
		4	1	90 cm	<i>blue</i> 5401590

 Reverse cutting		Metric	USP	Length	Order number
	HS 22 mm	2	3/0	45 cm	<i>blue</i> 5201422
	HS 24 mm	3	2/0	75 cm	<i>blue</i> 5301424

 Cutting		Metric	USP	Length	Order number
	GS 60 mm	2	3/0	75 cm	<i>blue</i> 5202160
		3	2/0	75 cm	<i>blue</i> 5302160
	GS 75 mm	3	2/0	75 cm	<i>blue</i> 5302175






Round bodied taper cutting point double armed

			Metric	USP	Length		Order number
1/2 circle 	2 x HRT 16 mm		1	5/0	75 cm	<i>blue</i>	5100516-2
			1.5	4/0	90 cm	<i>blue</i>	5150516-2
	2 x HRT 22 mm		1.5	4/0	90 cm	<i>blue</i>	5150522-2
			1.5	4/0	90 cm	<i>blue</i>	5150525-2
	2 x HRT 25 mm		2	3/0	90 cm	<i>blue</i>	5200525-2
			3	2/0	90 cm	<i>blue</i>	5300525-2
			2	3/0	90 cm	<i>blue</i>	5200530-2
	2 x HRT 30 mm		3	2/0	90 cm	<i>blue</i>	5300530-2














Round bodied taper cutting point





			Metric	USP	Length		Order number
1/2 circle 	HRT 10 mm		0.7	6/0	75 cm	<i>blue</i>	5070510
	HRT 25 mm		3	2/0	75 cm	<i>blue</i>	5300525









Soft cutting point coronary double armed




			Metric	USP	Length		Order number	
3/8 circle 	2 x CC 6.4 mm		0.4	8/0	60 cm	<i>blue</i>	5042606-2	
			0.4	8/0	60 cm	<i>blue</i>	5042608-2	
	2 x CC 8 mm		0.5	7/0	75 cm	<i>blue</i>	5052608-2	
			0.7	6/0	75 cm	<i>blue</i>	5072608-2	
	2 x CC 9.3 mm		0.5	7/0	60 cm	<i>blue</i>	5052693-2	
			0.7	6/0	60 cm	<i>blue</i>	5072693-2	
	2 x CC 10 m		0.5	7/0	75 cm	<i>blue</i>	5052610-2	
			0.7	6/0	75 cm	<i>blue</i>	5072610-2	
	2 x CC 13 mm		0.5	7/0	75 cm	<i>blue</i>	5052613-2	
			0.7	6/0	75 cm	<i>blue</i>	5072613-2	
				1	5/0	75 cm	<i>blue</i>	5102613-2







 Soft cutting point coronary black double armed		Metric	USP	Length		Order number
	2 x CC 8 mm black 	0.4	8/0	60 cm	<i>blue</i>	5042608-2VB
		0.5	7/0	75 cm	<i>blue</i>	5052608-2VB
		0.7	6/0	75 cm	<i>blue</i>	5072608-2VB
	2 x CC 9 mm black 	0.4	8/0	60 cm	<i>blue</i>	5042609-2VB
		0.5	7/0	60 cm	<i>blue</i>	5052609-2VB
		0.7	6/0	75 cm	<i>blue</i>	5072613-2VB
2 x CC 13 mm black 	1	5/0	75 cm	<i>blue</i>	5102613-2VB	



 Micro needle taper point		Metric	USP	Length		Order number
	MDR 5.1 mm 100µm 	0.2	10/0	15 cm	<i>blue</i>	MP106
	MDR 6.4 mm 150µm 	0.3	9/0	15 cm	<i>blue</i>	MP097

 Side cutting spatula double armed		Metric	USP	Length		Order number
	2 x HSP 6.2 mm 200 µm 	0.2	10/0	30 cm	<i>blue</i>	OPP106

 Side cutting spatula double armed		Metric	USP	Length		Order number
	2 x DSP 6.4 mm 200 µm 	0.2	10/0	30 cm	<i>blue</i>	OPP105
		0.3	9/0	30 cm	<i>blue</i>	OPP95

 Side cutting spatula		Metric	USP	Length		Order number
	DSP 6 mm 200 µm 	0.5	7/0	45 cm	<i>blue</i>	OPP71-1

 Side cutting spatula	Metric	USP	Length	Order number
3/8 circle  DSP 6 mm 200 µm	0.5	7/0	45 cm	<i>blue</i> OPP71-1
 Side cutting spatula double armed	Metric	USP	Length	Order number
1/4 circle  2 x VSP 8 mm 300 µm	0.7	6/0	45 cm	<i>blue</i> OPP62
 Side cutting spatula	Metric	USP	Length	Order number
1/4 circle  VSP 16 mm 150 µm	0.2	10/0	10 cm	<i>blue</i> OPP103
 Side cutting spatula loop	Metric	USP	Length	Order number
1/4 circle  VSP 15.3 mm 150 µm	0.2	10/0	20 cm	<i>blue</i> OPP113L-2
 VSP 16 mm 150 µm	0.2	10/0	20 cm	<i>blue</i> OPP103L-2
 Side cutting spatula double armed	Metric	USP	Length	Order number
Straight  2 x GSP 16.15 mm 150 µm	0.2	10/0	20 cm	<i>blue</i> OPP101
 2 x GSP 16.15 mm 150 µm	0.3	9/0	20 cm	<i>blue</i> OPP91
 Side cutting spatula loop	Metric	USP	Length	Order number
Straight  GSP 16.15 mm 150 µm	0.2	10/0	15 cm	<i>blue</i> OPP110

	Side cutting spatula double armed		Metric	USP	Length		Order number
		GSP 16 mm	0.2	10/0	10 cm	<i>blue</i>	OPP102
		150 µm DSP 4 mm 100 µm					