


SILK



	<i>Silk Braided</i>	<i>Silk Virgin</i>
Type	Braided multifilament	Twisted multifilament
Composition	Braided fibres from the cocoon of the silkworm	Twisted fibres from the cocoon of the silkworm
Coating	Waxes Silicone	None
Colour	Black	Blue
Tissue reaction	Moderate	
Absorption	Silk suture elicits an initial inflammatory reaction in tissues, which is followed by gradual encapsulation of the suture by fibrous connective tissues.	
Presentation	Box with 12 sutures; Cassette	



For quality & safety



www.sutures.be

SILK

CHARACTERISTICS

- ✓ High tensile strength, non absorbable
- ✓ Braided or twisted structure

- ✓ Coated multifilament

- ✓ Hermetically sealed packing

BENEFITS

- Good and extended tissue support for up to 3 month

- Excellent handling properties
High flexibility
High tensile strength
Excellent knot security

- Soft passage through the tissues with minimal sawing, tissue drag and trauma
Good knot tie down / adjustability
Reduced capillary action

- Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation
especially in General surgery
Skin closure
Ophthalmic surgery
Oral surgery
Gastrointestinal surgery
Gynaecology
Obstetrics

CONTRAINDICATIONS Urinary tract
Biliary tract

Known allergies or sensitivities to silk

○ Without needle

Metric	USP	Length		Order number
2	3/0	150 cm	<i>black</i>	8200015
3	2/0	150 cm	<i>black</i>	8300015
3.5	0	150 cm	<i>black</i>	8350015
4	1	150 cm	<i>black</i>	8400015
5	2	150 cm	<i>black</i>	8500015
6	3&4	150 cm	<i>black</i>	8600015
8	6	150 cm	<i>black</i>	8800015
2	3/0	6 x 45 cm	<i>black</i>	8200044
3	2/0	6 x 45 cm	<i>black</i>	8300044
3.5	0	6 x 45 cm	<i>black</i>	8350044
4	1	6 x 45 cm	<i>black</i>	8400044
5	2	6 x 45 cm	<i>black</i>	8500044
1.5	4/0	17 x 45 cm	<i>black</i>	8150046
2	3/0	17 x 45 cm	<i>black</i>	8200046
3	2/0	17 x 45 cm	<i>black</i>	8300046
3.5	0	17 x 45 cm	<i>black</i>	8350046
4	1	17 x 45 cm	<i>black</i>	8400046
1.5	4/0	13 x 60 cm	<i>black</i>	8150060
2	3/0	13 x 60 cm	<i>black</i>	8200060
3	2/0	13 x 60 cm	<i>black</i>	8300060
3.5	0	13 x 60 cm	<i>black</i>	8350060
4	1	13 x 60 cm	<i>black</i>	8400060
1.5	4/0	12 x 75 cm	<i>black</i>	8150075
2	3/0	12 x 75 cm	<i>black</i>	8200075
3	2/0	12 x 75 cm	<i>black</i>	8300075
3.5	0	12 x 75 cm	<i>black</i>	8350075
4	1	12 x 75 cm	<i>black</i>	8400075
5	2	12 x 75 cm	<i>black</i>	8500075

○ Without needle

Ligapack



Metric	USP	Length		Order number
2	3/0	250 cm	<i>black</i>	8200025
3	2/0	250 cm	<i>black</i>	8300025
3.5	0	250 cm	<i>black</i>	8350025
4	1	250 cm	<i>black</i>	8400025
5	2	250 cm	<i>black</i>	8500025
6	3&4	250 cm	<i>black</i>	8600025









Round bodied taper point




1/2 circle








		Metric	USP	Length	Color	Order number
HR 12 mm		0.7	6/0	45 cm	black	8070112
		1	5/0	45 cm	black	8100112
		1.5	4/0	75 cm	black	8150112
HR 16 mm		0.7	6/0	45 cm	black	8070116
		1	5/0	75 cm	black	8100116
		1.5	4/0	75 cm	black	8150116
HR 20 mm		2	3/0	75 cm	black	8200116
		1	5/0	75 cm	black	8100120
		1.5	4/0	75 cm	black	8150120
HR 26 mm		2	3/0	75 cm	black	8200120
		3	2/0	75 cm	black	8300120
		3.5	0	75 cm	black	8350120
		1	5/0	75 cm	black	8100126
		1.5	4/0	75 cm	black	8150126
HR 30 mm		2	3/0	75 cm	black	8200126
		3	2/0	75 cm	black	8300126
		3.5	0	75 cm	black	8350126
		4	1	75 cm	black	8400126
		2	3/0	75 cm	black	8200130
HR 37 mm		3	2/0	75 cm	black	8300130
		3.5	0	75 cm	black	8350130
		4	1	75 cm	black	8400130
HR 40 mm		5	2	75 cm	black	8500130
		2	3/0	75 cm	black	8200137
		3	2/0	75 cm	black	8300137
HR 45 mm		3.5	0	75 cm	black	8350137
		4	1	75 cm	black	8400137
		5	2	75 cm	black	8500137
HR 50 mm		4	1	75 cm	black	8400140
		5	2	75 cm	black	8500140
		3.5	0	75 cm	black	8350140
HR 60 mm		4	1	75 cm	black	8400145
		5	2	75 cm	black	8500145
		6	3&4	75 cm	black	8600145

 Round bodied taper point	Metric	USP	Length	Order number	
3/8 circle 	DR 12 mm 	1	5/0	45 cm	<i>black</i> 8100212
	DR 16 mm 	1	5/0	75 cm	<i>black</i> 8100216
		1.5	4/0	75 cm	<i>black</i> 8150216
	DR 25 mm 	2	3/0	75 cm	<i>black</i> 8200216
		2	3/0	75 cm	<i>black</i> 8200225
DR 30 mm 	3	2/0	75 cm	<i>black</i> 8300225	
		3	2/0	75 cm	<i>black</i> 8300230

 Round bodied taper point	Metric	USP	Length	Order number	
Straight 	GR 40 mm 	3	2/0	75 cm	<i>black</i> 8302040

 Reverse cutting double armed	Metric	USP	Length	Order number	
3/8 circle 	2 x DS 12 mm 	0.5	7/0	45 cm	<i>black</i> 8051512-2
		0.7	6/0	45 cm	<i>black</i> 8071512-2

 Reverse cutting	Metric	USP	Length	Order number	
3/8 circle 	DS 12 mm 	0.5	7/0	45 cm	<i>black</i> 8051512
		0.7	6/0	45 cm	<i>black</i> 8071512
		1	5/0	45 cm	<i>black</i> 8101512
		1.5	4/0	75 cm	<i>black</i> 8151512
		2	3/0	75 cm	<i>black</i> 8201512
	DS 12 mm Easy Pass 	0.7	6/0	50 cm	<i>black</i> 8071512P
	DS 16 mm 	0.7	6/0	75 cm	<i>black</i> 8071516
		1	5/0	75 cm	<i>black</i> 8101516
		1.5	4/0	75 cm	<i>black</i> 8151516
		2	3/0	75 cm	<i>black</i> 8201516
		3	2/0	75 cm	<i>black</i> 8301516















Reverse cutting





		Metric	USP	Length	Order number
DS 16 mm Easy Pass		1	5/0	50 cm	<i>black</i> 8101516P
		1.5	4/0	50 cm	<i>black</i> 8151516P
DS 16 mm black		1	5/0	75 cm	<i>black</i> 8101516VB
		1.5	4/0	75 cm	<i>black</i> 8151516VB
DS 19 mm		0.7	6/0	75 cm	<i>black</i> 8071519
		1	5/0	75 cm	<i>black</i> 8101519
		1.5	4/0	75 cm	<i>black</i> 8151519
		2	3/0	45 cm	<i>black</i> 8201519-45
		2	3/0	75 cm	<i>black</i> 8201519
		3	2/0	75 cm	<i>black</i> 8301519
		3.5	0	75 cm	<i>black</i> 8351519
DS 19 mm Easy Pass		1.5	4/0	50 cm	<i>black</i> 8151519P
		2	3/0	50 cm	<i>black</i> 8201519P
DS 19 mm black		1	5/0	75 cm	<i>black</i> 8101519VB
		1.5	4/0	75 cm	<i>black</i> 8151519VB
		2	3/0	75 cm	<i>black</i> 8201519VB
DS 24 mm		1	5/0	75 cm	<i>black</i> 8101524
		1.5	4/0	75 cm	<i>black</i> 8151524
		2	3/0	75 cm	<i>black</i> 8201524
		3	2/0	75 cm	<i>black</i> 8301524
		3.5	0	75 cm	<i>black</i> 8351524
DS 26 mm		4	1	75 cm	<i>black</i> 8401524
		2	3/0	75 cm	<i>black</i> 8201526
		3	2/0	75 cm	<i>black</i> 8301526
		1.5	4/0	75 cm	<i>black</i> 8151530
DS 30 mm		2	3/0	75 cm	<i>black</i> 8201530
		3	2/0	75 cm	<i>black</i> 8301530
		3.5	0	75 cm	<i>black</i> 8351530
		4	1	75 cm	<i>black</i> 8401530
		5	2	75 cm	<i>black</i> 8501530
DS 37 mm		2	3/0	75 cm	<i>black</i> 8201537
		3	2/0	75 cm	<i>black</i> 8301537
		3.5	0	75 cm	<i>black</i> 8351537
		4	1	75 cm	<i>black</i> 8401537
		5	2	75 cm	<i>black</i> 8501537
		6	3&4	75 cm	<i>black</i> 8601537





3/8 circle











 Reverse cutting		Metric	USP	Length	Color	Order number
		3	2/0	75 cm	black	8301545
		3.5	0	75 cm	black	8351545
		4	1	75 cm	black	8401545
		5	2	75 cm	black	8501545
3/8 circle 		4	1	75 cm	black	8401560
		DS 90 mm	3.5	0	100 cm	black





 Reverse cutting		Metric	USP	Length	Color	Order number	
1/2 circle 		HS 12 mm	0.7	6/0	75 cm	black	8071412
		HS 17 mm	1	5/0	75 cm	black	8101417
			1.5	4/0	75 cm	black	8151417
			2	3/0	75 cm	black	8201417
		HS 20 mm	1.5	4/0	75 cm	black	8151420
			2	3/0	75 cm	black	8201420
		HS 22 mm	1	5/0	75 cm	black	8101422
			1.5	4/0	75 cm	black	8151422
			2	3/0	75 cm	black	8201422
		HS 26 mm	3	2/0	75 cm	black	8301422
			1	5/0	75 cm	black	8101426
			1.5	4/0	75 cm	black	8151426
			2	3/0	75 cm	black	8201426
		HS 36 mm	3	2/0	75 cm	black	8301426
			3.5	0	75 cm	black	8351426
			3.5	0	75 cm	black	8351436
		4	1	75 cm	black	8401436	




 Cutting		Metric	USP	Length	Order number
Straight 	GS 40 mm 	3	2/0	75 cm	<i>black</i> 8302140
	GS 60 mm 	2	3/0	75 cm	<i>black</i> 8202160
		3	2/0	75 cm	<i>black</i> 8302160
		3.5	0	75 cm	<i>black</i> 8352160

 Round bodied taper cutting point		Metric	USP	Length	Order number
1/2 circle 	HRT 18 mm 	1	5/0	75 cm	<i>black</i> 8100518
		1.5	4/0	75 cm	<i>black</i> 8150518
		2	3/0	75 cm	<i>black</i> 8200518
	HRT 27 mm 	3	2/0	75 cm	<i>black</i> 8300518
		2	3/0	75 cm	<i>black</i> 8200527
		3	2/0	75 cm	<i>black</i> 8300527

 Round bodied taper cutting point		Metric	USP	Length	Order number
3/8 circle 	DRT 18 mm 	1.5	4/0	75 cm	<i>black</i> 8150418
		2	3/0	75 cm	<i>black</i> 8200418

 Side cutting spatula double armed		Metric	USP	Length	Order number
3/8 circle 	2 x DSP 6.5 mm 200 µm 	0.4	8/0	45 cm	<i>black</i> OS81B
	2 x DSP 6.5 mm 240 µm 	0.5	7/0	45 cm	<i>black</i> OS71
		0.7	6/0	45 cm	<i>black</i> OS61
	2 x DSP 8 mm 350 µm 	1	5/0	30 cm	<i>black</i> OS52

 Side cutting spatula double armed		Metric	USP	Length	Order number
1/4 circle 	2 x VSP 8 mm 250 µm 	0.7	6/0	45 cm	<i>black</i> OS62
	2 x VSP 10 mm 350 µm 	1	5/0	45 cm	<i>black</i> OS51

 Side cutting spatula double armed		Metric	USP	Length		Order number
<p>3/8 circle</p> 	<p>2 x DSP 6.5 mm 200 µm</p> 	0.4	8/0	45 cm	<i>blue</i>	OS81

IN CASSETTES

Metric	USP	Length	Order number
1.5	4/0	100 m	8015
2	3/0	100 m	8020
3	2/0	100 m	8030
3.5	0	100 m	8035
4	1	100 m	8040
5	2	100 m	8050
6	3&4	80 m	8060
7	5	60 m	8070
8	6	50 m	8080
9	7	40 m	8090
10	8	30 m	8100

